



Lucén series

Designed by Ferriani Sbolgi, Italy

Discover the harmony that arises when mixing tradition and contemporary flair. With a perfect Japandi expression, the lamps come in a variety of shapes and sizes, complementing any space with soft luminosity. The design is FSC™-certified and crafted with a lightweight metal frame covered in oak rings and delicately draped fabric.

Meet the designer

The Italian design studio, Ferriani Sbolgi, is driven by experiments and a cooperative approach to the design process where both designers agree on a direction and outline before transforming into new creative designs. Their design language is based on sleek silhouettes and clean stripped-down lines and details, and their products seek to communicate a certain emotion with the viewer and user. Each new design is seen as an opportunity for experimentation, and they ascribe fundamental importance to finding materials and ideas that will add value to their final design. They seek the new, the bold and the different, but always with timeless taste and quality craft in mind. A striking balance achieved in an effortless manner shown in their beautiful work.







Lucén Pendant - Ellipse



Specifications

| Country of origin | Shade | Shade Top | Shade width | Туре | Diameter |
|---|---|--|------------------------------|---|----------------------------|
| China | Sand fabric | Oiled oak, Solid | 90 cm | Solid | 90 cm |
| Width | Length | Height | Cord | Dimmable | Light source |
| 90 cm | 90 cm | 66 cm | 3 m Amber Textile cord | Yes, if the bulb is dimmable and if your electrical system allows it | included No |
| Socket | Hz | IP Rating | Classification | Adjustment | Ceiling cap |
| E27 | 50 Hz | 20 IP | Class I | Cable can be shortened | dimensions 12 cm 2,5 cm |
| Production technique | Wood due diligence | Mains voltage | Vendor Title | Weight | Composition |
| Wowen | Shade top, Solid, Oak, Quercus alba, The United States of America / Exterior ring, Plywood, Poplar, Populus alba, China / Exterior ring, Veneer, Oak, Quercus alba, The United States of America / Shade bottom, Solid, Oak, Quercus alba, The United States of America | 230 V-50 Hz | MADE SPECIFIC, Denmark | | 100 % Viscose |
| Vendorinfo | EAN | The parcel's | | | |
| 22, Made Specific, DKK, MADE SPECIFIC, Denmark, Made Specific help us create many of our stunning lamp designs and have been a trusted partner for more than 10 years. They're members of amfori BSCI to promote ethical labour practices and are FSC—certified to support responsible forestry, which means the wooden lamps they produce for us are FSC—certified. Their commitment also extends to powering their factory with solar energy and using only FSC—certified carton packaging., 139793 | 5702410559387 | measurements | | | |
| | | The parcel's measurements 1: 0.67 m3, 18.31 kg (D 93.0 cm, W 93.0 cm, H 77.0 cm)) | | | |

Test and certifications

 FSC^m C165134 (Forest Stewardship Council) is an international organisation that advocates for responsible management of the world's forests. FSC-labelled products contain wood materials from forests that meet strict environmental, social and economic standards, helping to protect biodiversity, ecosystems and local communities.



The mark of responsible forestry

Lucén Pendant - Ellipse



Shade Hz
Sand fabric 50 Hz
Shade Top IP Rating
Oiled oak, Solid 20 IP
Shade width Classification
90 cm Class I

Solid Cable can be shortened

Diameter Ceiling cap dimensions

Adjustment

90 cm 12 cm 2,5 cm

Width Production technique

90 cm Wowen

Туре

Length Wood due diligence

90 cm Shade top, Solid, Oak, Quercus alba, The United States of America / Exterior ring,

Height Plywood, Poplar, Populus alba, China / Exterior ring, Veneer, Oak, Quercus alba, The

66 cm United States of America / Shade bottom, Solid, Oak, Quercus alba, The United States

 Cord
 Mains voltage

 3 m Amber
 230 V-50 Hz

 Dimmable
 Vendor Title

Yes, if the bulb is MADE SPECIFIC, Denmark

of America

dimmable and if your electrical 8.54 kg system allows it Composition
Light source 100 % Viscose

 included
 VendorInfo

 No
 22, Made Specific, DKK, MADE SPECIFIC, Denmark, Made Specific help us create many

Socket

of our stunning lamp designs and have been a trusted partner for more than 10 years.

They're members of amfori BSCI to promote ethical labour practices and are
FSC™-certified to support responsible forestry, which means the wooden lamps they
produce for us are FSC™-certified. Their commitment also extends to powering their
factory with solar energy and using only FSC™-certified carton packaging, 139793

EAN

5702410559387

The parcel's

measurements

The parcel's measurements 1: 0.67 m3, 18.31 kg (D 93.0 cm, W 93.0 cm, H 77.0

Lucén Pendant - Octagon



Shade Hz
Sand fabric 50 Hz
Shade Top IP Rating
Oiled oak, Solid 20 IP
Shade width Classification

Solid Cable can be shortened

Diameter Ceiling cap dimensions

Adjustment

40 cm 12 cm 2,5 cm

Width Production technique

40 cm Wowen

Туре

Length Wood due diligence

40 cm Shade top, Solid, Oak, Quercus alba, The United States of America / Exterior ring,

Height Plywood, Poplar, Populus alba, China / Exterior ring, Veneer, Oak, Quercus alba, The

United States of America / Shade bottom, Solid, Oak, Quercus alba, The United States

 Cord
 Mains voltage

 3 m Amber
 230 V-50 Hz

 Dimmable
 Vendor Title

Yes, if the bulb is MADE SPECIFIC, Denmark

of America

dimmable and if your electrical 2.23 kg system allows it Composition
Light source 100 % Viscose

included VendorInfo
No 22, Made Sp

No 22, Made Specific, DKK, MADE SPECIFIC, Denmark, Made Specific help us create many

socket

E27

They're members of amfori BSCI to promote ethical labour practices and are

FSC™-certified to support responsible forestry, which means the wooden lamps they

produce for us are FSC™-certified. Their commitment also extends to powering their

factory with solar energy and using only FSC™-certified carton packaging., 139785

EAN

5702410559318

The parcel's

measurements

The parcel's measurements 1: 0.09 m3, 4.69 kg (D 45.0 cm, W 44.0 cm, H 44.0

Lucén Pendant - cylinder



Shade Hz Sand fabric 50 Hz Shade Top IP Rating Oiled oak Solid 20 IP Shade width

Classification Adjustment Type Cable can be shortened Solid Diameter Ceiling cap dimensions

62 cm 12 cm 2,5 cm Width Production technique 62 cm Wowen

Length Wood due diligence

Shade top, Solid, Oak, Quercus alba, The United States of America / Exterior ring, Plywood, Poplar, Populus alba, China / Exterior ring, Veneer, Oak, Quercus alba, The Height United States of America / Shade bottom, Solid, Oak, Quercus alba, The United States of 92 cm

America Cord Mains voltage 3 m Amber 230 V~50 Hz Textile cord Vendor Title Dimmable

MADE SPECIFIC. Denmark Yes, if the bulb is

dimmable and if **Total Net Weight** your electrical system allows it Composition Light source 100 % Viscose

included VendorInfo No 22, Made Specific, DKK, MADE SPECIFIC, Denmark, Made Specific help us create many

of our stunning lamp designs and have been a trusted partner for more than 10 years. Socket They're members of amfori BSCI to promote ethical labour practices and are F27

FSC™-certified to support responsible forestry, which means the wooden lamps they produce for us are FSC™-certified. Their commitment also extends to powering their factory with solar energy and using only FSC™-certified carton packaging., 140066

EAN

5702410560796

20-138-04

Lucén Table Lamp



Shade IP Rating Sand fabric 20 IP Classification Lamp base Oiled oak, Solid Class II Shade width Switch position 28 cm On cord

Diameter Wood due diligence

28 cm Shade top, Solid, Oak, Quercus alba, The United States of America / Exterior ring, Plywood, Poplar, Populus alba, China / Exterior ring, Veneer, Oak, Quercus alba, The Width United States of America / Shade bottom, Solid, Oak, Quercus alba, The United States of

Height Mains voltage 42 cm 230 V~50 Hz Cord Plug type 2.50 m Amber Textile cord **Vendor Title**

Dimmable Yes, if the bulb is MADE SPECIFIC, Denmark

dimmable and if Total Net Weight your electrical system allows it Composition Light source 100 % Viscose included VendorInfo

22, Made Specific, DKK, MADE SPECIFIC, Denmark, Made Specific help us create many Socket of our stunning lamp designs and have been a trusted partner for more than 10 years. They're members of amfori BSCI to promote ethical labour practices and are F27 FSC™-certified to support responsible forestry, which means the wooden lamps they Hz produce for us are FSC™-certified. Their commitment also extends to powering their

50 Hz factory with solar energy and using only FSC™-certified carton packaging., 145671

EAN

5702410570696

The parcel's

The parcel's

measurements

(D 65.0 cm, W 65.0 cm, H 103.0

The parcel's measurements 1: 0.44 m3, 11.6 kg

measurements The parcel's

measurements 1: 0.05 m3, 3.8 kg (D 31.0 cm, W 32.0 cm, H 50.0 cm))

Lucén Floor Lamp - cylinder



Shade Ηz Sand fabric 50 Hz IP Rating Lamp base Dark oiled oak. 20 IP Solid Classification Shade width Class II 42 cm Switch position Diameter On cord

42 cm

Wood due diligence

Width Shade top, Solid, Oak, Quercus alba, The United States of America / Exterior ring, 42 cm Plywood, Poplar, Populus alba, China / Exterior ring, Veneer, Oak, Quercus alba, The United States of America / Shade bottom, Solid, Oak, Quercus alba, The United States of Length

The parcel's

measurements

measurements 1: 0.13 m3, 7.0 kg

(D 44.0 cm, W 44.0 cm, H 65.0

The parcel's

America 42 cm Mains voltage Height 50 Hz 59 cm Plug type Cord 3 m Dark brown Textile cord **Vendor Title**

MADE SPECIFIC, Denmark

Yes, if the bulb is Total Net Weight dimmable and if 3.80 kg your electrical Composition system allows it 100 % Viscose Light source VendorInfo

included 22, Made Specific, DKK, MADE SPECIFIC, Denmark, Made Specific help us create many No of our stunning lamp designs and have been a trusted partner for more than 10 years. They're members of amfori BSCI to promote ethical labour practices and are

Socket FSC™-certified to support responsible forestry, which means the wooden lamps they E27 produce for us are FSC™-certified. Their commitment also extends to powering their

factory with solar energy and using only FSC™-certified carton packaging., 145684

EAN

5702410570795

Materials and surfaces







